

HDX52 LOG INSTALLATION

! WARNING

FAILURE TO POSITION THE LOGS IN ACCORDANCE WITH THESE DIAGRAMS OR FAILURE TO USE ONLY LOGS SPECIFICALLY APPROVED WITH THIS APPLIANCE MAY RESULT IN PROPERTY DAMAGE OR PERSONAL INJURY.

LOGS MUST BE PLACED IN THEIR EXACT LOCATION IN THE APPLIANCE. DO NOT MODIFY THE PROPER LOG POSITIONS, SINCE APPLIANCE MAY NOT FUNCTION PROPERLY AND DELAYED IGNITION MAY OCCUR.

THE LOGS ARE FRAGILE AND SHOULD BE HANDLED WITH CARE.


ENSURE THE UNIT IS COMPLETELY COOL BEFORE STARTING INSTALLATION

TO AVOID DANGER OF SUFFOCATION KEEP THE PACKAGING BAG AWAY FROM BABIES AND CHILDREN. DO NOT USE IN CRIBS, BED, CARRIAGES OR PLAY PENS. THIS BAG IS NOT A TOY. KNOT BEFORE THROWING AWAY.


PHAZER™ logs and glowing embers exclusive to Napoleon, provide a unique and realistic glowing effect that is different in every installation. Take the time to carefully position the glowing embers for a maximum glowing effect. Log colours may vary. During the initial use of the appliance, the colours will become more uniform as colour pigments burn in during the heat activated curing process.

NOTE: The individual logs can be easily identified by the numbers cast on the underside of each log.


- A.** Remove the safety screen and main door from the appliance, refer to the video tutorial or your installation manual for removal instructions.




- B.** Align the slots in the bottom left rear log (W135-0566) with the left and center tabs of the rear log support.



- C.** Place the bottom right rear log (W135-0567) onto the right tab of the rear log support.




- D.** Place the locating block (W135-0573) into the hollow of the left and right bottom rear logs as shown.




- E.** Place the top rear log (W135-0565) over the locating block.


Quality System Certified To
ISO
9001-2008
04.01.14




- F. Place the notch of the left log (W135-0568) over the second from the left grate post.



- G. Place the notch of the right log (W135-0569) over the second from the right grate post.



- H. Place the notch in the left crossover log (W135-0570) over the left locating stud in the top rear log and let it rest in the notch of the left log.



- I. Place the notch in the right crossover log (W135-0571) over the right locating stud in the top rear log and let it rest in the notch of the right log.

- J. Tear the ember material into small thin pieces and spread evenly on top of the burner. Ember material will only glow when exposed to direct flame.
- K. Randomly place the charcoal embers along the front and sides of the log support tray in a realistic manner.
- L. Reinstall the main door and safety screen, refer to the video tutorial or your installation manual for installation instructions.

TO VIEW A VIDEO OF THIS INSTALLATION VISIT OUR WEBSITE AT: www.napoleonfireplaces.com/productsupport/hdx52

NOTE: FOR MORE DETAILED INSTRUCTIONS REFER TO YOUR INSTALLATION MANUAL.

Quality System Certified To

ISO
9001-2008
04.01.14

Wolf Steel Ltd., 24 Napoleon Rd., Barrie, ON L4M 0G8 Canada • (705)721-1212 • fax (705)722-6031 • www.napoleonfireplaces.com

INSTALLATION DES BÛCHES DU MODÈLE HDX52

! AVERTISSEMENT

OMETTRE DE POSITIONNER LES BÛCHES CONFORMÉMENT AUX SCHÉMAS OU OMETTRE D'UTILISER UNIQUEMENT DES BÛCHES SPÉCIFIQUEMENT APPROUVÉES POUR CET APPAREIL PEUT CAUSER DES DOMMAGES MATÉRIELS OU DES BLESSURES CORPORELLES.

LES BÛCHES DOIVENT ÊTRE PLACÉES CORRECTEMENT À L'INTÉRIEUR DE L'APPAREIL. NE CHANGEZ PAS LA POSITION DES BÛCHES CAR L'APPAREIL RISQUE DE NE PAS FONCTIONNER ADÉQUATEMENT ET UN RETARD D'ALLUMAGE RISQUE DE SE PRODUIRE.



LES BÛCHES SONT FRAGILES ET DEVRAIENT ÊTRE MANIPULÉES AVEC SOIN.

76.1A



Les bûches PHAZER™, exclusives aux appareils NAPOLÉON®, créent un effet incandescent réaliste et unique qui est différent dans chaque installation. Prendre le temps de soigneusement placer les braises incandescentes pour un effet lumineux maximum. Couleurs des bûches peut varier. Lors de l'utilisation initiale de l'appareil, les couleurs deviendront plus uniformes à mesure que leurs pigments seront absorbés pendant le procédé de cuisson.

NOTE: Chacune des bûches est facilement identifiable par son numéro moulé en dessous


- A. Enlever l'écran de protection et la porte de l'appareil, consultez la vidéo d'enlèvement de la porte ou votre manuel d'instructions d'installation pour les instructions d'enlèvement.




- B. Placez la bûche arrière gauche (W135-0566) sur les épingles à l'arrière du côté gauche du support de bûche.
- C. Placez la bûche arrière droite (W135-0567) sur les épingles à l'arrière du côté droit du support de bûche.




- D. Placez le bloc de localisation (W135-0573) dans la bûche arrière gauche et droite, comme illustrée.
- E. Placez la bûche arrière supérieure (W135-0565) sur le bloc de localisation.




- F. Placez l'encoche du bûche gauche (W135-0568) sur le deuxième poste du grille du brûleur.



- G. Placez l'encoche du bûche droite (W135-0569) sur le quatrième poste du grille du brûleur.



- H. Placez la bûche de croisement gauche (W135-0570) sur l'épingle du bûche arrière supérieure, laissez-le reposer dans l'encoche du bûche gauche.



- I. Placez la bûche de croisement droite (W135-0571) sur l'épingle du bûche arrière supérieure, laissez-le reposer dans l'encoche du bûche droite.

- J. Déchirez les braises incandescentes en petits morceaux placez les sur le brûleur. Les braises seront incandescentes seulement lorsqu'elles sont exposées à une flamme directe.
- K. Placez les braises de charbon d'une manière aléatoire aux côtés et en avant du support de bûches.
- L. Installez la porte et l'écran de protection, consultez la vidéo d'installation de la porte ou votre manuel d'instructions d'installation pour les instructions d'installation.

POUR REGARDER UNE VIDÉO DE CETTE INSTALLATION VISITER NOTRE SITE WEB: www.napoleonfireplaces.com/productsupport/hdx52

NOTE: VOIR LE MANUEL D'INSTRUCTIONS D'INSTALLATION POUR LES INSTRUCTIONS PLUS DÉTAILLÉES

Quality System Certified To
ISO
 9001-2008
 04.01.14

Wolf Steel Ltd., 24 Napoleon Rd., Barrie, ON L4M 0G8 Canada • (705)721-1212 • télécopieur(705)722-6031 • www.napoleonfoyers.com